


GEOMETRICAL SHAPES

DIE No: 90801

DIE NO. : 90801




Wt. : 0.140 Kg/M

GALCO GROUP

Wt. Range : -0.140

DIE No: 90808

DIE NO. : 90808




Wt. : 1.520 Kg/M

GALCO GROUP

Wt. Range : -1.520

DIE No: 90818

DIE NO. : 90818



Wt. : 0.790 Kg/M


GALCO GROUP

Wt. Range : -0.780

L ANGLE EQUAL

DIE No: 90804

DIE NO. : 90804




Wt. : 0.410 Kg/M

GALCO GROUP

Wt. Range : -0.410

DIE No: 90812

DIE NO. : 90812




Wt. : 0.060 Kg/M

GALCO GROUP

Wt. Range : -0.060

DIE No: 90819

DIE NO. : 90819



Wt. : 1.630 Kg/M


GALCO GROUP

Wt. Range : -1.630

GEOMETRICAL SHAPES

DIE No: 90821

DIE NO. : 90821




Wt. : 3.850 Kg/M

GALCO GROUP

Wt. Range : -3.800

DIE No: 90825

DIE NO. : 90825




Wt. : 0.460 Kg/M

GALCO GROUP

Wt. Range : -0.460

DIE No: 90831

DIE NO. : 90831



Wt. : 6.585 Kg/M


GALCO GROUP

Wt. Range : 6.350-6.800

L ANGLE EQUAL

DIE No: 90824

DIE NO. : 90824




Wt. : 1.280 Kg/M

GALCO GROUP

Wt. Range : -1.280

DIE No: 90829

DIE NO. : 90829




Wt. : 3.040 Kg/M

GALCO GROUP

Wt. Range : -3.050

DIE No: 90832

DIE.NO. 90832




Wt 0.390 KG/M

GALCO

Wt. Range : 2.050-2.150


GEOMETRICAL SHAPES

DIE No: 90833



Wt. Range : -0.320


DIE No: 90835



Wt. Range : 0.560-0.635

L ANGLE EQUAL

DIE No: 90834



Wt. Range : 3.200-4.200