


HVAC

DIE No: 94216

DIE NO. : 94216




Wt. : 0.140 Kg/M

GALCO GROUP

Wt. Range : 0.130-0.150

DIE No: 94227

DIE NO. : 94227




Wt. : 0.360 Kg/M

GALCO GROUP

Wt. Range : 0.340-0.390

DIE No: 94229

DIE NO. : 94229



Wt. : 0.090 Kg/M


GALCO GROUP

Wt. Range : 0.080-0.090

A.C. GRILL

DIE No: 94218

DIE NO. : 94218




Wt. : 0.070 Kg/M

GALCO GROUP

Wt. Range : 0.070-0.080

DIE No: 94228

DIE NO. : 94228




Wt. : 0.120 Kg/M

GALCO GROUP

Wt. Range : 0.110-0.120

DIE No: 94230

DIE NO. : 94230



Wt. : 0.090 Kg/M


GALCO GROUP

Wt. Range : 0.090-0.100

HVAC

DIE No: 94233

DIE NO. : 94233




Wt. : 0.080 Kg/M

GALCO GROUP

Wt. Range : 0.080-0.090

DIE No: 94235

DIE NO. : 94235




Wt. : 0.320 Kg/M

GALCO GROUP

Wt. Range : 0.310-0.350

DIE No: 94251

DIE NO. : 94251



Wt. : 0.060 Kg/M


GALCO GROUP

Wt. Range : 0.500-0.600

A.C. GRILL

DIE No: 94234

DIE NO. : 94234




Wt. : 0.130 Kg/M

GALCO GROUP

Wt. Range : 0.130-0.150

DIE No: 94244

DIE NO. : 94244




Wt. : 0.440 Kg/M

GALCO GROUP

Wt. Range : 0.420-0.470

DIE No: 94254

DIE NO. : 94254



Wt. : 0.140 Kg/M


GALCO GROUP

Wt. Range : 0.140-0.150

HVAC

DIE No: 94261

DIE NO. : 94261




Wt. : 0.180 Kg/M

GALCO GROUP

Wt. Range : 0.170-0.190

DIE No: 94276

DIE NO. : 94276




Wt. : 0.080 Kg/M

GALCO GROUP

Wt. Range : 0.080-0.090

DIE No: 94291

DIE NO. : 94291



Wt. : 0.270 Kg/M


GALCO GROUP

Wt. Range : 0.250-0.290

A.C. GRILL

DIE No: 94275

DIE NO. : 94275




Wt. : 0.110 Kg/M

GALCO GROUP

Wt. Range : 0.110-0.120

DIE No: 94283

DIE NO. : 94283




Wt. : 0.280 Kg/M

GALCO GROUP

Wt. Range : 0.260-0.300

DIE No: 94294

DIE NO. : 94294



Wt. : 0.100 Kg/M


GALCO GROUP

Wt. Range : 0.100-0.120

HVAC

DIE No: 94296

DIE NO. : 94296




Wt. : 0.570 Kg/M

GALCO GROUP

Wt. Range : 0.540-0.610

DIE No: 94318

DIE NO. : 94318




Wt. : 0.160 Kg/M

GALCO GROUP

Wt. Range : 0.150-0.170

DIE No: 94329

DIE NO. : 94329



Wt. : 0.100 Kg/M


GALCO GROUP

Wt. Range : -0.100

A.C. GRILL

DIE No: 94310

DIE NO. : 94310




Wt. : 0.140 Kg/M

GALCO GROUP

Wt. Range : 0.140-0.150

DIE No: 94321

DIE NO. : 94321




Wt. : 0.180 Kg/M

GALCO GROUP

Wt. Range : 0.180-0.200

DIE No: 94339

DIE NO. : 94339



Wt. : 0.160 Kg/M


GALCO GROUP

Wt. Range : 0.150-0.170

HVAC

DIE No: 94346

DIE NO. : 94346



Wt. : 0.120 Kg/M

GALCO GROUP

Wt. Range : 0.110-0.120

DIE No: 94350

DIE NO. : 94350




Wt. : 0.210 Kg/M

GALCO GROUP

Wt. Range : 0.200-0.220

DIE No: 94353

DIE NO. : 94353



Wt. : 0.080 Kg/M


GALCO GROUP

Wt. Range : 0.080-0.090

A.C. GRILL

DIE No: 94348

DIE NO. : 94348




Wt. : 0.080 Kg/M

GALCO GROUP

Wt. Range : 0.070-0.080

DIE No: 94352

DIE NO. : 94352




Wt. : 0.070 Kg/M

GALCO GROUP

Wt. Range : 0.070-0.080

DIE No: 94354

DIE NO. : 94354



Wt. : 0.080 Kg/M


GALCO GROUP

Wt. Range : 0.070-0.080

HVAC

DIE No: 94356

DIE NO. : 94356




Wt. : 0.060 Kg/M

GALCO GROUP

Wt. Range : 0.050-0.060

DIE No: 94359

DIE NO. : 94359




Wt. : 0.070 Kg/M

GALCO GROUP

Wt. Range : 0.070-0.080

DIE No: 94363

DIE NO. : 94363



Wt. : 0.210 Kg/M


GALCO GROUP

Wt. Range : 0.200-0.230

A.C. GRILL

DIE No: 94357

DIE NO. : 94357




Wt. : 0.060 Kg/M

GALCO GROUP

Wt. Range : 0.050-0.060

DIE No: 94360

DIE NO. : 94360




Wt. : 0.100 Kg/M

GALCO GROUP

Wt. Range : 0.100-0.110

DIE No: 94365

DIE NO. : 94365



Wt. : 0.130 Kg/M


GALCO GROUP

Wt. Range : 0.130-0.140

HVAC

DIE No: 94367

DIE NO. : 94367




Wt. : 0.100 Kg/M

GALCO GROUP

Wt. Range : 0.090-0.100

DIE No: 94381

DIE NO. : 94381




Wt. : 0.090 Kg/M

GALCO GROUP

Wt. Range : 0.080-0.090

DIE No: 94389

DIE NO. : 94389



Wt. : 0.150 Kg/M


GALCO GROUP

Wt. Range : 0.140-0.160

A.C. GRILL

DIE No: 94371

DIE NO. : 94371




Wt. : 0.070 Kg/M

GALCO GROUP

Wt. Range : 0.060-0.070

DIE No: 94382

DIE NO. : 94382




Wt. : 0.080 Kg/M

GALCO GROUP

Wt. Range : 0.080-0.090

DIE No: 94396

DIE NO. : 94396



Wt. : 0.350 Kg/M


GALCO GROUP

Wt. Range : 0.330-0.370

HVAC

DIE No: 94411

DIE NO. : 94411




Wt. : 0.100 Kg/M

GALCO GROUP

Wt. Range : 0.100-0.110

DIE No: 94419

DIE NO. : 94419




Wt. : 0.630 Kg/M

GALCO GROUP

Wt. Range : -0.630

DIE No: 94425

DIE NO. : 94425



Wt. : 0.060 Kg/M


GALCO GROUP

Wt. Range : 0.060-0.070

A.C. GRILL

DIE No: 94413

DIE NO. : 94413




Wt. : 0.320 Kg/M

GALCO GROUP

Wt. Range : 0.310-0.350

DIE No: 94423

DIE NO. : 94423




Wt. : 0.440 Kg/M

GALCO GROUP

Wt. Range : 0.420-0.470

DIE No: 94426

DIE NO. : 94426



Wt. : 0.070 Kg/M


GALCO GROUP

Wt. Range : 0.060-0.070

HVAC

DIE No: 94430

DIE NO. : 94430




Wt. : 0.160 Kg/M

GALCO GROUP

Wt. Range : 0.150-0.170

DIE No: 94432

DIE NO. : 94432




Wt. : 0.140 Kg/M

GALCO GROUP

Wt. Range : 0.140-0.160

DIE No: 94439

DIE NO. : 94439



Wt. : 0.130 Kg/M


GALCO GROUP

Wt. Range : 0.120-0.140

A.C. GRILL

DIE No: 94431

DIE NO. : 94431




Wt. : 0.160 Kg/M

GALCO GROUP

Wt. Range : 0.160-0.180

DIE No: 94433

DIE NO. : 94433




Wt. : 0.150 Kg/M

GALCO GROUP

Wt. Range : 0.140-0.160

DIE No: 94449

DIE NO. : 94449



Wt. : 0.140 Kg/M


GALCO GROUP

Wt. Range : 0.130-0.150

HVAC

DIE No: 94460

DIE NO. : 94460




Wt. : 0.250 Kg/M

GALCO GROUP

Wt. Range : 0.240-0.270

DIE No: 94467

DIE NO. : 94467



Wt. : 0.110 Kg/M

GALCO GROUP

Wt. Range : 0.100-0.120

DIE No: 94476

DIE NO. : 94476



Wt. : 0.130 Kg/M


GALCO GROUP

Wt. Range : 0.120-0.140

A.C. GRILL

DIE No: 94463

DIE NO. : 94463




Wt. : 0.080 Kg/M

GALCO GROUP

Wt. Range : 0.080-0.090

DIE No: 94475

DIE NO. : 94475




Wt. : 0.200 Kg/M

GALCO GROUP

Wt. Range : 0.190-0.210

DIE No: 94479

DIE NO. : 94479



Wt. : 0.090 Kg/M


GALCO GROUP

Wt. Range : 0.090-0.100

HVAC

DIE No: 94484

DIE NO. : 94484




Wt. : 0.230 Kg/M

GALCO GROUP

Wt. Range : 0.220-0.250

DIE No: 94492

DIE NO. : 94492




Wt. : 0.190 Kg/M

GALCO GROUP

Wt. Range : 0.180-0.200

DIE No: 94496

DIE NO. : 94496



Wt. : 0.120 Kg/M


GALCO GROUP

Wt. Range : 0.120-0.130

A.C. GRILL

DIE No: 94489

DIE NO. : 94489




Wt. : 0.230 Kg/M

GALCO GROUP

Wt. Range : 0.220-0.250

DIE No: 94495

DIE NO. : 94495




Wt. : 0.220 Kg/M

GALCO GROUP

Wt. Range : 0.210-0.230

DIE No: 94500

DIE NO. : 94500



Wt. : 0.200 Kg/M


GALCO GROUP

Wt. Range : 0.190-0.210

HVAC

DIE No: 94517

DIE NO. : 94517




Wt. : 0.560 Kg/M

GALCO GROUP

Wt. Range : 0.540-0.600

DIE No: 94536

DIE NO. : 94536




Wt. : 0.250 Kg/M

GALCO GROUP

Wt. Range : 0.240-0.270

DIE No: 94571

DIE NO. : 94571



Wt. : 0.070 Kg/M


GALCO GROUP

Wt. Range : -0.070

A.C. GRILL

DIE No: 94521

DIE NO. : 94521




Wt. : 0.190 Kg/M

GALCO GROUP

Wt. Range : 0.180-0.200

DIE No: 94541

DIE NO. : 94541




Wt. : 2.620 Kg/M

GALCO GROUP

Wt. Range : 2.510-2.830

DIE No: 94572

DIE NO. : 94572




Wt. : 0.230 Kg/M

GALCO GROUP

Wt. Range : 0.220-0.250


HVAC

DIE No: 94573




Wt. Range : 0.280-0.310

DIE No: 94575



Wt. Range : 0.210-0.240


DIE No: 94577



Wt. Range : 0.390-0.440


A.C. GRILL

DIE No: 94574




Wt. Range : 0.110-0.130

DIE No: 94576



Wt. Range : 0.100-0.120


DIE No: 94578



Wt. Range : 0.280-0.310


HVAC

DIE No: 94579




Wt. Range : 0.310-0.350

DIE No: 94581



Wt. Range : 0.100-0.110


DIE No: 94592



Wt. Range : 2.200-2.250


A.C. GRILL

DIE No: 94580




Wt. Range : 0.100-0.110

DIE No: 94582



Wt. Range : 0.315-0.360

DIE No: 94599




Wt. Range : 0.115-0.200

HVAC

DIE No: 94387

DIE NO. : 94387



Wt. : 0.120 Kg/M


GALCO GROUP

Wt. Range : 0.120-0.130

A.C. GRILL

DIE No: 94378

DIE NO. : 94378



Wt. : 0.260 Kg/M


GALCO GROUP

Wt. Range : 0.240-0.280

HVAC

DIE No: 88070

DIE NO. : 88070




Wt. : 0.390 Kg/M

GALCO GROUP

Wt. Range : 0.370-0.420

DIE No: 94554

DIE NO. : 94554




Wt. : 1.200 Kg/M

GALCO GROUP

Wt. Range : 1.150-1.290

DIE No: 94630

DIE NO. : 94630



Wt. : 1.620 Kg/M


GALCO GROUP

Wt. Range : 1.550-1.750

AIR FILTER PROFILE

DIE No: 94548

DIE NO. : 94548




Wt. : 0.560 Kg/M

GALCO GROUP

Wt. Range : 0.530-0.600

DIE No: 94629

DIE NO. : 94629




Wt. : 0.750 Kg/M

GALCO GROUP

Wt. Range : 0.720-0.820

DIE No: 94632

DIE NO. : 94632



Wt. : 1.330 Kg/M


GALCO GROUP

Wt. Range : 1.280-1.440

HVAC

DIE No: 94633

DIE NO. : 94633




Wt. : 0.630 Kg/M

GALCO GROUP

Wt. Range : 0.600-0.680

DIE No: 94641

DIE NO. : 94641




Wt. : 0.718 Kg/M

GALCO GROUP

Wt. Range : 0.690-0.790

DIE No: 94650

DIE NO. : 94650



Wt. : 0.175 Kg/M


GALCO GROUP

Wt. Range : 0.165-0.190

AIR FILTER PROFILE

DIE No: 94640

DIE NO. :94640



Wt. : 0.210 Kg/M


GALCO GROUP

Wt. Range : 0.200-0.230

DIE No: 94646

DIE.NO.94646

GALCO




Wt 0.920 KG/M

Wt. Range : 0.780-0.920

DIE No: 94652

DIE NO. : 94652




Wt. : 0.522 Kg/M

GALCO GROUP

Wt. Range : 0.500-0.565


HVAC

DIE No: 94653




Wt. Range : 0.136-0.156

DIE No: 97577



Wt. Range : 0.240-0.270


DIE No: 94663



Wt. Range : 0.552-0.640 KG/MTR


AIR FILTER PROFILE

DIE No: 97575




Wt. Range : 0.300-0.330

DIE No: 97584



Wt. Range : 1.580-1.880

DIE No: 94665



Wt. Range : 0.680-0.770 KG/MTR

HVAC

AIR FILTER PROFILE


DIE No: 94667

Wt. Range : -

HVAC

DIE No: 84001

DIE NO. : 84001




Wt. : 1.220 Kg/M

GALCO GROUP

Wt. Range : -1.220

DIE No: 84003

DIE NO. : 84003




Wt. : 0.830 Kg/M

GALCO GROUP

Wt. Range : -0.830

DIE No: 84005

DIE NO. : 84005



Wt. : 1.350 Kg/M


GALCO GROUP

Wt. Range : -1.350

AIR HANDLING UNIT

DIE No: 84002

DIE NO. : 84002




Wt. : 1.110 Kg/M

GALCO GROUP

Wt. Range : -1.110

DIE No: 84004

DIE NO. : 84004




Wt. : 0.830 Kg/M

GALCO GROUP

Wt. Range : -0.830

DIE No: 84006

DIE NO. : 84006



Wt. : 1.130 Kg/M


GALCO GROUP

Wt. Range : -1.130

HVAC

DIE No: 84007

DIE NO. : 84007




Wt. : 0.190 Kg/M

GALCO GROUP

Wt. Range : -0.190

DIE No: 84009

DIE NO. : 84009




Wt. : 0.330 Kg/M

GALCO GROUP

Wt. Range : -0.330

DIE No: 84011

DIE NO. : 84011



Wt. : 1.730 Kg/M


GALCO GROUP

Wt. Range : -1.730

AIR HANDLING UNIT

DIE No: 84008

DIE NO. : 84008




Wt. : 0.610 Kg/M

GALCO GROUP

Wt. Range : -0.610

DIE No: 84010

DIE NO. : 84010




Wt. : 1.080 Kg/M

GALCO GROUP

Wt. Range : 1.000-1.150

DIE No: 84012

DIE NO. : 84012



Wt. : 2.470 Kg/M


GALCO GROUP

Wt. Range : -2.470

HVAC

DIE No: 84013

DIE NO. : 84013




Wt. : 0.750 Kg/M

GALCO GROUP

Wt. Range : -0.750

DIE No: 84015

DIE NO. : 84015




Wt. : 1.870 Kg/M

GALCO GROUP

Wt. Range : -1.870

DIE No: 84017

DIE NO. : 84017



Wt. : 1.000 Kg/M


GALCO GROUP

Wt. Range : -1.000

AIR HANDLING UNIT

DIE No: 84014

DIE NO. : 84014




Wt. : 1.210 Kg/M

GALCO GROUP

Wt. Range : -1.210

DIE No: 84016

DIE NO. : 84016




Wt. : 2.120 Kg/M

GALCO GROUP

Wt. Range : -2.120

DIE No: 84018

DIE NO. : 84018



Wt. : 0.950 Kg/M


GALCO GROUP

Wt. Range : -0.900

HVAC

DIE No: 84019

DIE NO. : 84019




Wt. : 0.570 Kg/M

GALCO GROUP

Wt. Range : -0.570

DIE No: 84022

DIE NO. : 84022




Wt. : 0.690 Kg/M

GALCO GROUP

Wt. Range : -0.690

DIE No: 84026

DIE NO. : 84026



Wt. : 1.060 Kg/M


GALCO GROUP

Wt. Range : -1.060

AIR HANDLING UNIT

DIE No: 84020

DIE NO. : 84020




Wt. : 0.380 Kg/M

GALCO GROUP

Wt. Range : -0.380

DIE No: 84024

DIE NO. : 84024




Wt. : 0.860 Kg/M

GALCO GROUP

Wt. Range : -0.850

DIE No: 84027

DIE NO. : 84027



Wt. : 1.070 Kg/M


GALCO GROUP

Wt. Range : 0.980-1.140

HVAC

DIE No: 84031

DIE NO. : 84031




Wt. : 0.940 Kg/M

GALCO GROUP

Wt. Range : -0.940

DIE No: 84034

DIE NO. : 84034




Wt. : 1.030 Kg/M

GALCO GROUP

Wt. Range : -1.030

DIE No: 84036

DIE NO. : 84036



Wt. : 0.790 Kg/M


GALCO GROUP

Wt. Range : -0.790

AIR HANDLING UNIT

DIE No: 84033

DIE NO. : 84033




Wt. : 0.810 Kg/M

GALCO GROUP

Wt. Range : -0.810

DIE No: 84035

DIE NO. : 84035




Wt. : 0.990 Kg/M

GALCO GROUP

Wt. Range : -0.990

DIE No: 84043

DIE NO. : 84043



Wt. : 0.580 Kg/M


GALCO GROUP

Wt. Range : -0.580

HVAC

DIE No: 84044

DIE NO. : 84044




Wt. : 0.420 Kg/M

GALCO GROUP

Wt. Range : -0.420

DIE No: 84047

DIE NO. : 84047




Wt. : 1.390 Kg/M

GALCO GROUP

Wt. Range : -1.390

DIE No: 84056

DIE NO. : 84056



Wt. : 0.390 Kg/M


GALCO GROUP

Wt. Range : -0.390

AIR HANDLING UNIT

DIE No: 84046

DIE NO. : 84046




Wt. : 0.780 Kg/M

GALCO GROUP

Wt. Range : -0.780

DIE No: 84055

DIE NO. : 84055




Wt. : 0.780 Kg/M

GALCO GROUP

Wt. Range : -0.780

DIE No: 84063

DIE NO. : 84063



Wt. : 0.960 Kg/M


GALCO GROUP

Wt. Range : -0.960

HVAC

DIE No: 84064

DIE NO. : 84064




Wt. : 1.070 Kg/M

GALCO GROUP

Wt. Range : -1.070

DIE No: 84066

DIE NO. : 84066




Wt. : 0.800 Kg/M

GALCO GROUP

Wt. Range : -0.800

DIE No: 84101

DIE NO. : 84101



Wt. : 4.290 Kg/M


GALCO GROUP

Wt. Range : 4.120-4.630

AIR HANDLING UNIT

DIE No: 84065

DIE NO. : 84065




Wt. : 0.720 Kg/M

GALCO GROUP

Wt. Range : -0.720

DIE No: 84073

DIE NO. : 84073




Wt. : 0.730 Kg/M

GALCO GROUP

Wt. Range : -0.730

DIE No: 84104

DIE NO. : 84104




Wt. : 0.930 Kg/M

GALCO GROUP

Wt. Range : 0.915-0.945


HVAC

DIE No: 84110




Wt. Range : 1.450-1.630

DIE No: 84112



Wt. Range : 0.705-0.810


DIE No: 84113



Wt. Range : 0.585-0.660


AIR HANDLING UNIT

DIE No: 84111



Wt. Range : 0.610-0.710


DIE No: 94591



Wt. Range : 0.485-0.525


HVAC

DIE No: 84050



Wt. Range : -1.000

DIE No: 84062




Wt. Range : -0.720

DIE No: 88191

DIE.NO. 88191

GALCO




Wt 0.350 KG/M

Wt. Range : 0.300-0.350


CLEAN ROOM

DIE No: 84051



Wt. Range : -0.870

DIE No: 84105




Wt. Range : 0.870-0.970

DIE No: 88215

DIE.NO. 88215

GALCO




Wt 0.325 KG/M

Wt. Range : 0.270-0.325


HVAC

DIE No: 88216




Wt. Range : 0.270-0.330

DIE No: 92689



Wt. Range : 0.320-0.360


DIE No: 92691



Wt. Range : 0.390-0.430


CLEAN ROOM

DIE No: 92578




Wt. Range : 0.300-0.330

DIE No: 92690



Wt. Range : 0.330-0.360


DIE No: 92692



Wt. Range : 0.390-0.440


HVAC

DIE No: 94606




Wt. Range : -1.250

DIE No: 94608



Wt. Range : -1.600


DIE No: 94611



Wt. Range : -1.750


CLEAN ROOM

DIE No: 94607




Wt. Range : -1.440

DIE No: 94609



Wt. Range : -0.230

DIE No: 94612




Wt. Range : -2.110

HVAC

DIE No: 94613

DIE NO. : 94613




Wt. : 1.720 Kg/M

GALCO GROUP

Wt. Range : -1.720

DIE No: 94621

DIE NO. : 94621



Wt. : 0.800 Kg/M


GALCO GROUP

Wt. Range : -0.800

CLEAN ROOM

DIE No: 94614

DIE.NO.94614



Wt 1.480 KG/M


GALCO

Wt. Range : 1.420-1.600

HVAC

DIE No: 94104

DIE NO. : 94104




Wt. : 1.140 Kg/M

GALCO GROUP

Wt. Range : -1.140

DIE No: 94107

DIE NO. : 94107



Wt. : 0.980 Kg/M

GALCO GROUP

Wt. Range : 0.940-1.060

DIE No: 94109

DIE NO. : 94109



Wt. : 1.570 Kg/M


GALCO GROUP

Wt. Range : -1.570

LOUVERS

DIE No: 94106

DIE NO. :94106




Wt. : 0.770 Kg/M

GALCO GROUP

Wt. Range : -0.770

DIE No: 94108

DIE NO. : 94108




Wt. : 1.020 Kg/M

GALCO GROUP

Wt. Range : -1.020

DIE No: 94116

DIE NO. : 94116



Wt. : 0.330 Kg/M


GALCO GROUP

Wt. Range : -0.330

HVAC

DIE No: 94117

DIE NO. : 94117




Wt. : 0.700 Kg/M

GALCO GROUP

Wt. Range : -0.700

DIE No: 94126

DIE NO. : 94126




Wt. : 1.140 Kg/M

GALCO GROUP

Wt. Range : -1.140

DIE No: 94136

DIE NO. : 94136



Wt. : 0.550 Kg/M


GALCO GROUP

Wt. Range : -0.550

LOUVERS

DIE No: 94125

DIE NO. : 94125




Wt. : 0.820 Kg/M

GALCO GROUP

Wt. Range : -0.820

DIE No: 94127

DIE NO. : 94127




Wt. : 0.790 Kg/M

GALCO GROUP

Wt. Range : -0.800

DIE No: 94143

DIE NO. : 94143




Wt. : 1.350 Kg/M

GALCO GROUP

Wt. Range : -1.350


HVAC

DIE No: 94144




Wt. Range : 3.000-3.350

DIE No: 94319



Wt. Range : 0.980-1.110


DIE No: 94498



Wt. Range : 0.740-0.840


LOUVERS

DIE No: 94148




Wt. Range : 0.850-0.950

DIE No: 94392



Wt. Range : 0.630-0.700

DIE No: 94514



Wt. Range : 0.420-0.470

HVAC

DIE No: 94519

DIE NO. : 94519




Wt. : 0.740 Kg/M

GALCO GROUP

Wt. Range : 0.710-0.800

DIE No: 94537

DIE NO. : 94537



Wt. : 0.530 Kg/M


GALCO GROUP

Wt. Range : 0.510-0.570

DIE No: 94594

DIE.NO. 94594

GALCO



Wt 1.100 KG/M

Wt. Range : 0.980-1.100

LOUVERS

DIE No: 94520

DIE NO. : 94520



Wt. : 0.550 Kg/M


GALCO GROUP

Wt. Range : 0.530-0.600

DIE No: 94593

DIE.NO. 94593

GALCO




Wt 0.900 KG/M

Wt. Range : 0.785-0.900

HVAC

DIE No: 85001

DIE NO. : 85001




Wt. : 1.150 Kg/M

GALCO GROUP

Wt. Range : -1.150

DIE No: 85003

DIE NO. : 85003




Wt. : 1.150 Kg/M

GALCO GROUP

Wt. Range : -1.150

DIE No: 85005

DIE NO. : 85005



Wt. : 1.170 Kg/M


GALCO GROUP

Wt. Range : -1.170

THERMAL BREAK SECTION

DIE No: 85002

DIE NO. : 85002




Wt. : 0.610 Kg/M

GALCO GROUP

Wt. Range : -0.610

DIE No: 85004

DIE NO. : 85004




Wt. : 0.350 Kg/M

GALCO GROUP

Wt. Range : -0.350

DIE No: 85006

DIE NO. : 85006



Wt. : 0.900 Kg/M


GALCO GROUP

Wt. Range : -0.900

HVAC

DIE No: 85007

DIE NO. : 85007




Wt. : 0.470 Kg/M

GALCO GROUP

Wt. Range : -0.470

DIE No: 85012

DIE NO. : 85012




Wt. : 1.030 Kg/M

GALCO GROUP

Wt. Range : -1.030

DIE No: 85014

DIE NO. : 85014



Wt. : 0.420 Kg/M


GALCO GROUP

Wt. Range : -0.420

THERMAL BREAK SECTION

DIE No: 85008

DIE NO. : 85008




Wt. : 0.800 Kg/M

GALCO GROUP

Wt. Range : -0.800

DIE No: 85013

DIE NO. : 85013




Wt. : 1.270 Kg/M

GALCO GROUP

Wt. Range : -1.270

DIE No: 85015

DIE NO. : 85015




Wt. : 0.760 Kg/M

GALCO GROUP

Wt. Range : -0.760


HVAC

DIE No: 85016




Wt. Range : -0.490

DIE No: 85020



Wt. Range : -0.570


DIE No: 94648



Wt. Range : 1.040-1.170

THERMAL BREAK SECTION


DIE No: 85019



Wt. Range : -0.850

DIE No: 94647

DIE.NO. 94647



Wt. Range : 0.250-0.300