



## SUPER PROFILES

DIE No: 88098




Wt. Range : 0.530-0.600

DIE No: 91551



Wt. Range : -0.060


DIE No: 91553



Wt. Range : -0.090


## DOUBLE GLASS CHANNEL

DIE No: 91550




Wt. Range : -0.035

DIE No: 91552



Wt. Range : -0.450

DIE No: 91554




Wt. Range : -0.070

**SUPER PROFILES**

DIE No: 91555

DIE NO. : 91555




Wt. : 0.090 Kg/M

GALCO GROUP

Wt. Range : -0.090

DIE No: 91557

DIE NO. : 91557




Wt. : 0.190 Kg/M

GALCO GROUP

Wt. Range : -0.190

DIE No: 91559

DIE NO. : 91559



Wt. : 0.050 Kg/M


GALCO GROUP

Wt. Range : -0.050

**DOUBLE GLASS CHANNEL**

DIE No: 91556

DIE NO. : 91556




Wt. : 0.170 Kg/M

GALCO GROUP

Wt. Range : -0.170

DIE No: 91558

DIE NO. : 91558




Wt. : 0.060 Kg/M

GALCO GROUP

Wt. Range : -0.060

DIE No: 91560

DIE NO. : 91560



Wt. : 0.110 Kg/M

GALCO GROUP

Wt. Range : -0.110

**SUPER PROFILES**

DIE No: 91561

DIE NO. : 91561




Wt. : 0.130 Kg/M

GALCO GROUP

Wt. Range : -0.130

DIE No: 91563

DIE NO. : 91563




Wt. : 0.150 Kg/M

GALCO GROUP

Wt. Range : 0.140-0.170

DIE No: 91565

DIE NO. : 91565



Wt. : 0.140 Kg/M


GALCO GROUP

Wt. Range : 0.130-0.150

**DOUBLE GLASS CHANNEL**

DIE No: 91562

DIE NO. : 91562




Wt. : 0.160 Kg/M

GALCO GROUP

Wt. Range : -0.160

DIE No: 91564

DIE NO. : 91564




Wt. : 0.120 Kg/M

GALCO GROUP

Wt. Range : -0.120

DIE No: 91566

DIE NO. : 91566



Wt. : 0.150 Kg/M

GALCO GROUP


Wt. Range : 0.140-0.160

**SUPER PROFILES**

**DOUBLE GLASS CHANNEL**

**DIE No: 91567**

**DIE NO. : 91567**



**Wt. : 0.200 Kg/M**

**GALCO GROUP**

**Wt. Range : 0.180-0.210**